

ARTICULIGHT

15-06 Morlot Avenue, Fair Lawn, NJ 07410 USA Tel: (201) 796-2690 Fax: (201) 796-8818

info@articulight.com

articulight@aol.com

www.articulight.com

INTELLIGENT LIGHTING

CYM ZOOM 575 575W CMY Color Changer

[PDF Link](#)



From the stage to the dance floor, set the mood right with the CYM ZOOM 575. This fantastic intelligent fixture features CYM gradual color mixing, remote DMX addressing, a 1000 hour watt Philips lamp and an amazing optical system. Create a fabulous ambience on stage, or in a lounge with this powerful and professional projector.

CONTROL FEATURES

USITT DMX-512
RDMX - Remote DMX Addressing
11 DMX Channels
4 Digit LED. Display
3 pin XLR serial input/output
Sound active mode

OPTICAL SYSTEM

High output luminous-parabolic dichroic reflector
Glass dichroic reflector
150mm Fresnel lens

Motorized zoom 13 degrees - 29 degrees



HANGING BRACKET SYSTEM



XLR IN/OUT CONNECTION



LAMP REPLACEMENT/ FEET



DMX LED DISPLAY

COLOR

CMY subtractive color mixing
7 Dichroic filters, 5 Colors, CTB, CTC + white
Continuous, variable speed, color scrolling in both directions (rainbow effect)

SHUTTER/DIMMER

Variable speed strobe effect (1-10) Flashes per second
Pre-set variable/random strobe and dimming pulse effect
Dual Flag mechanical dimming system

LAMPS

Philips MSR 575/2 (575W, 7200°K, 1000 HRS)

RIGGING

1 x Hanging Bracket
1 x Safety hole
1 x Base plate

POWER SUPPLY

15A fuse
Magnetic Ballast
Voltage: AC 98, 120, 208, 220, 230, 240V 50/60Hz
Power Consumption 800W

DIMENSIONS & WEIGHT

16"L x 14"W x 17"H (without barn doors)
60 lbs.



CMY Subtractive Color Mixing



DUE TO CONTINUOUS IMPROVEMENTS, SPECIFICATIONS MAY CHANGE WITHOUT PRIOR NOTICE.