

ARTICULIGHT

15-06 Morlot Avenue, Fair Lawn, NJ 07410 USA Tel: (201) 796-2690 Fax: (201) 796-8818

info@articulight.com


articulight@aol.com

www.articulight.com

ARCHITECTURAL COLOR CHANGERS

KOLORADO 2500 MK3™
Architectural Color Changing Washlight






Kolorado 2500 MK3 utilizes an HMI 2500/GS lamp (Sfa 21 - 12 base) and shares a similar wide angle output and the CYM color mixing system of its small brother Kolorado 1800. However, with its newly conceived patented optical system, it offers an extremely powerful light output, giving the ability to cover greater areas and distances, and indeed effective use in a higher level of ambient light than the 1800W version. Like this version, Kolorado 2500 MK2 has a uniform color coverage, creating superb effects.

The detachable ballast unit is separable from the main unit by up to 20m and this and the relatively resultant relatively compact size of the main unit can greatly facilitate both portable use and fixed installations. Control is the same as the 1800W, with selectable inbuilt speed controllable pre-programmed colour blend sequences, or full control from standard DMX512, in which mode the lamp on/off can be remotely operated. A stand by function reduces power consumption automatically by 33% after black-out have been activated for more than 15 seconds. The aluminium and galvanized steel body, with certificate IP44 weather protection, is coated with black epoxy powder paint for exterior use. A new version of this unit using the 2000-hour MS4 2500W lamp is now available. Existing KOLORADO MK3 2500W user note: upgrade to the long life lamp version on request PATENT PENDING.



Lighted surface LXh



	30° Narrow Beam Lens	70° standard	90° Wide Beam Lens
5m	12,500 Lux ø 3.1 m	5,700 Lux ø 7.5 m	4000 Lux ø 10.5 m
10m	3125 Lux ø 6 m	1425 Lux ø 15 m	1100 Lux ø 21 m
15m	1300 Lux ø 8 m	604 Lux ø 22.5 m	512 Lux ø 31.6 m
20m	780 Lux ø 12.1 m	377 Lux ø 30 m	288 Lux ø 42.2 m
25m	500 Lux ø 15.2 m	238 Lux ø 37.5 m	184 Lux ø 52.7 m

Channels

