

ARTICULIGHT

15-06 Morlot Avenue, Fair Lawn, NJ 07410 USA Tel: (201) 796-2690 Fax: (201) 796-8818

info@articulight.com

articulight@aol.com

www.articulight.com

INTELLIGENT LIGHTING

PR-3040



Again based on the GKV 600W lamp the PR-3040 is capable of giving almost as much light as a traditional 1000W par 64 parcan. The housing is elegantly designed for easy installation and operation. The Pro Par is supplied as standard with four lenses that can be easily substituted to provide various beam widths and shapes. Note, the PR-3040 is designed for and should only be used with the GKV 600W lamp.

Technical Data

VOLTAGES:

230V AC, 50Hz or 60Hz

POWER CONSUMPTION:

600W@220V

LAMP:

GKV 600W 230V Halogen Single ended
Color Temperature: 3200°K

Socket: G9.5

Manufacturers Rated Lamp Life: 250 Hours

BEAM ANGLES:

Dependent on front lens that is fitted, 4 are supplied as standard
See Light Output Charts below for details

HOUSING:

Aluminum with epoxy paint finish (IP20)

NET WEIGHT:

3.5Kg.

DIMENSIONS:


See drawings

PACKED DIMENSIONS & :




420mm x 420mm x 410mm


WEIGHT:
7Kg.

DIMENSIONS



LIGHT OUTPUT CHARTS





DUE TO CONTINUOUS IMPROVEMENTS, SPECIFICATIONS MAY CHANGE WITHOUT PRIOR NOTICE.